## Add Two Continuous Sums into a Third

While there is no built-in functionality to populate a continuous sum question with previous continuous sum questions we have a script to accomplish this! This can come in handy if you have different totals that you want to add to make one overall total. These steps assume a basic familiarity with SurveyGizmo and Custom Scripting.

Check it out in an example survey !

OR

Add a survey with this setup to your account.

## Setup

Features and functions used in this script:

- Custom Script Action
- Continuous Sum Question
- Hidden Value Action

Start by building all of your survey questions. In this example survey, we have both continuous sum questions that will be doing the addition on the first page.

This auestion h	as answer validation	View Conditions -	🖋 Edit
E misquestion in		view conditions ·	+ Move
1. How many hou	rs do you spend doing these outdoor activities in a week?		අ <u>]</u> Copy
	Climbing		× Remove
	Hiking		
	Running		
	Hula Hooping		
<u>L</u>	· -		
	Total : 0	ID: 7	
		10.7	
This question h	as answer validation	View Conditions -	/ Edit
2	rs do you spend doing these indoor activies a week?		🕂 Move
2. How many nou			× Remove
[	Watching TV		
	Playing Video Games		
	Playing Board Games		
	Total : 0		
	INSERT: & Question Text / Media & Action R Question Library & Page Break	ID: 8	

On the next page, we have a custom script action with the below script followed by two hidden values. These hidden values will be populated by the script.

Custom Script Action						🖋 Edit
Lua Sum						Move
Custom script exists						省 Copy
					ID: 9	× Remove
? Hidden Value Action						🖋 Edit
Sum 1						+ Move
Your hidden value has not bee	n set yet					街 Copy
					ID: 5	× Remove
? Hidden Value Action						🖋 Edit
Sum 2						+ Move
Your hidden value has not bee	n set yet	h-				අ <u>)</u> Copy
					 ID: 6	× Remove
		n 🔚 Text / Media	Action 🗖 Qu	estion Library	10:0	

You will need to change the IDs for the continuous sum questions and hidden values.

```
contsum1 = 7 --Question ID for first Continuous Sum
 contsum2 = 8 --Question ID for second Continuous Sum
 sum1 = 5 -- ID of hidden value for first sum
 sum2 = 6 - ID of hidden value for second sum
 next pageID = 3 --ID of page to jump to so page with script does not show
 array = getvalue(contsum1)
 chars =
 {'%','$','€','₡','€','F','±','₥','₦','₨','₩','心','<sup>₫</sup>','€','K','₮','₯',
  ','₲','₳','₴','¢','□','□','〒','₹'}
 finalval=0
 for key, value in pairs (array) do
   val = str replace(chars, '', value)
   val = tonumber(val)
   finalval = finalval+val
 end
 setvalue(sum1, finalval)
 array2 = getvalue(contsum2)
 finalval2 = 0
 for key2, value2 in pairs (array2) do
   val2 = str_replace(chars, '', value2);
   val2 = tonumber(val2)
   finalval2 = finalval2+val2
 end
 setvalue(sum2, finalval2)
 jumptopage(next pageID)
4
```

Now on the third page, add the third Continuous Sum question where you wish to add all the values together. Populate the Default Value field for each option with the merge code for the Hidden Value sums we populated in the script.

Question Logic Validation	Layout Piping / Repeat	♥ Need Helj
Question Type		
Continuous Sum		•
What question do you want t	:o ask?	
This is how much time you spend or	n activities!	
B I Size - A-	Merge Codes	4
Require this guestion		
Multiple Choice Options		Common Answer Library Advanced Ontion Setting
Multiple Choice Options OPTION	DEFAULT VALUE	
	DEFAULT VALUE [question("value"), id="5"	Getting Started Guide ×
OPTION	[question("value"), id="5"	Getting Started Guide      Continuous Sum questions allow     respondents to enter numeric
OPTION Outdoor Activities Indoor Activities	[question("value"), id="5" [question("value"), id="6"	Getting Started Guide × Continuous Sum questions allow
OPTION Outdoor Activities Indoor Activities	[question("value"), id="5"	Getting Started Guide      Continuous Sum questions allow     respondents to enter numeric     values (often percentages or dollar
OPTION Outdoor Activities Indoor Activities	[question("value"), id="5" [question("value"), id="6"	Getting Started Guide      Continuous Sum questions allow     respondents to enter numeric     values (often percentages or dollar     amounts) for a list of items that are
OPTION Outdoor Activities Indoor Activities	[question("value"), id="5" [question("value"), id="6"	Getting Started Guide      Continuous Sum questions allow respondents to enter numeric values (often percentages or dollar amounts) for a list of items that are then summed for a total value.
OPTION Outdoor Activities Indoor Activities Click to Add Option Paste	[question("value"), id="5" [question("value"), id="6"	Getting Started Guide      Continuous Sum questions allow respondents to enter numeric values (often percentages or dollar amounts) for a list of items that are then summed for a total value.

Now you're ready to test your survey. Is your third continuous sum populating with the totals of the first two creating and total sum? If so, you've succeeded! Congratulations! If not, double check your question IDs.

## Scripting and Other Custom Solutions

We're always happy to help you debug any documented script that is used as is. That said, we do not have the resources to write scripts on demand or to debug a customized script.

If you have customization ideas that you haven't figured out how to tackle, we're happy to be a sounding board for SurveyGizmo features and functionality ideas that might meet your needs. Beyond this, check out our **Professional Services** ; these folks have the scripting chops to help you to achieve what you are looking for!

## **Related Articles**